APPLICANTS: Wands et al. SERIAL NUMBER: 09/436,184

10. A method of inhibiting tumor growth in a mammal comprising administering to said mammal a compound which inhibits expression of alpha-ketoglutarate-dependent dioxygenase aspartyl (asparaginyl) beta-hydroxylase (AAH), wherein said compound is a AAH antisense nucleic acid comprising a sequence which is complementary to a 5' AAH regulatory sequence.

APPLICANTS: Wands et al.

SERIAL NUMBER: 09/436,184

Add new claims 39-68.

APPLICANTS: Wands et al. SERIAL NUMBER: 09/436,184

- 39. The method of claim 10, wherein said tumor is a glioblastoma.
- 40. The method of claim 10, wherein said tumor is a neuroblastoma.
- 41. The method of claim 10, wherein said tumor is a cholangiocarcinoma.
- 42. The method of claim 10, wherein said tumor is a hepatocellular carcinoma.
- 43. A method of inhibiting tumor growth in a mammal comprising administering to said mammal a HAAH antisense nucleic acid, wherein said nucleic acid comprises a sequence which is complementary to a 5' portion of an AAH coding sequence.
  - 44. The method of claim 43, wherein said tumor is derived from endodermal tissue.
- 45. The method of claim 43, wherein said tumor is selected from the group consisting of colon cancer, breast cancer, pancreatic cancer, liver cancer, and cancer of the bile duct.
  - 46. The method of claim 43, wherein said tumor is a CNS tumor.
  - 47. The method of claim 43, wherein said tumor is a glioblastoma.
  - 48. The method of claim 43, wherein said tumor is a neuroblastoma.
  - 49. The method of claim 43, wherein said tumor is a cholangiocarcinoma.
  - 50. The method of claim 43, wherein said tumor is a hepatocellular carcinoma.
- 51. A method of inhibiting tumor growth in a mammal comprising administering to said mammal a AAH antisense nucleic acid, wherein said nucleic acid comprises a sequence which is complementary to a AAH sequence encoding a signal peptide.
  - 52. The method of claim 51, wherein said tumor is derived from endodermal tissue.
- 53. The method of claim 51, wherein said tumor is selected from the group consisting of colon cancer, breast cancer, pancreatic cancer, liver cancer, and cancer of the bile duct.
  - 54. The method of claim 51, wherein said tumor is a CNS tumor.
  - 55. The method of claim 51, wherein said tumor is a glioblastoma.

APPLICANTS: Wands et al. SERIAL NUMBER: 09/436,184

- 56. The method of claim 51, wherein said tumor is a neuroblastoma.
- 57. The method of claim 51, wherein said tumor is a cholangiocarcinoma.
- 58. The method of claim 51, wherein said tumor is a hepatocellular carcinoma.
- 59. A method of inhibiting tumor growth in a mammal comprising administering to said mammal a AAH antisense nucleic acid, wherein said nucleic acid comprises a sequence which is complementary to a AAH sequence in exon 1 of a AAH gene.
  - 60. The method of claim 59, wherein said tumor is derived from endodermal tissue.
- 61. The method of claim 59, wherein said tumor is selected from the group consisting of colon cancer, breast cancer, pancreatic cancer, liver cancer, and cancer of the bile duct.
  - 62. The method of claim 59, wherein said tumor is a CNS tumor.
  - 63. The method of claim 59, wherein said tumor is a glioblastoma.
  - 64. The method of claim 59, wherein said tumor is a neuroblastoma.
  - 65. The method of claim 59, wherein said tumor is a cholangiocarcinoma.
  - 66. The method of claim 59, wherein said tumor is a hepatocellular carcinoma.
  - 67. The method of claim 59, wherein said nucleic acid comprises a sequence which is complementary to a full length naturally-occurring AAH transcript.
  - 68. The method of claim 10, 43, 51, or 59, wherein said nucleic acid is a human AAH antisense nucleic acid.